


»» VCL Extendable Plow

The North American Leader in innovative snow & Ice control equipment.



Standard Features

1. **Power Ram Reversing** Polymer moldboard can discharge snow left or right side.
 2. **Trip Edge Design:** Torsion springs Allow the blade to trip when hitting immovable objects, protecting the road and the plow.
 3. **Reduce Vehicle Weight** by eliminating the need for a wing system.
 4. **Enhanced Curbside Visibility.** Wingless design eliminates passenger window obstructions and reduces damage to mirrors.
 5. **Parallel Lift Pushframe:** Levels moldboard to road surface and transport.
 6. **Angle in both directions with extension out:** Extension mates seamlessly with moldboard when deployed.
 7. **Use moldboard at any stage of deployment.**
 8. **Adapters available for 500T & 500HD hitches.**
 9. **More aggressive scraping** by increased plow weight.
 10. **Quick storage and Removal.**
 11. **Ease of usability, snow plow operation and training.**
 12. **Extension edge designed to float on uneven surfaces.**
- * Hydraulic power float is required.



Model	Clearing Path (bulldozer)	Clearing Path (33 deg. Angle)	Height	Moldboard Thickness	Approx. Weight
VCL 12-48EX	16'	13'4"	39.5"	0.3 Poly	3700 lbs

»» VCL Extendable Plow

The North American Leader in innovative snow & Ice control equipment.



Options


- Blades
- Curb Shoes
- Moldboard Shoes
- Marker Whips
- Quick Tack Swivel
- Rubber Deflector
- Safeway Quick Disconnects

Application


1. Ideal for in town or city use.
2. Versatility in tight spaces. Quickly extends and retracts.
3. Ideal for clearing roads with a bike lane.
4. Pairs well with unit equipped with a Tow Plow.

Clearing Path Comparison

VCL 3812PR & 144WHD



VCL 12-48EX



»» VCL Extendable Plow

The North American Leader in innovative snow & Ice control equipment.

VIKING GIVES



Plow with partially deployed extension



Extension fully deployed for seamless moldboard



Extension fully retracted



Full curbside window visibility